## MEASURING BY CONCENTRATE

## PRO PROGRAM WITH FADE



| FEED PROGRAM           |                    |   |                       |       |                       |   | All measurements are mL per 10 L based on 226 grams per liter stock tank concentrate. |                                |       |         |                                 |      |       |                      |
|------------------------|--------------------|---|-----------------------|-------|-----------------------|---|---|--------------------------------|-------|---------|---------------------------------|------|-------|----------------------|
| MIXING<br>ORDER        | CLONE              | VEG   |                       |       |                       | FLOWER  |   |                                |       |         |                                 |      |       |                      |
| $\downarrow$           | Pre-Soak<br>& Feed | W1  | W2                    | W3    | W4                    | W1  | W2  | W3                             | W4    | W5      | W6                              | W7   | W8    | W9                   |
| Balance<br>Pro Balance | Use as<br>pH up    | Balance: Recommended for batch tank mixing and Dosatron. Do not use with Netaflex.  Pro Balance: Recommended for advanced irrigation systems like Netaflex. |                       |       |                       |   |   |                                |       | ex.     |                                 |      |       |                      |
| Pro Grow               |                    | 90  | 90                    | 90    | 90                    |   |   |                                |       |         |                                 |      |       |                      |
| Pro Bloom              | 57                 |   |                       |       |                       | 90  | 90  | 90                             | 90    | 90      | 90                              | 90   | 90    | 90                   |
| Pro Core               | 34                 | 54  | 54                    | 54    | 54                    | 54  | 54  | 54                             | 54    | 54      | 54                              | *54  | **Swa | o Fade               |
| Fade                   |                    |   |                       |       |                       | *Swap Core with Fade W8-9 of Flower. This is cultivar dependent.  If the cultivar shows resiliency, use Fade (51 mL) weeks 7-9. |   |                                |       |         | 51                              |      |       |                      |
| Cleanse                | 3                  | 5-13  | 5-13                  | 5-13  | 5-13                  | 5-13  | 5-13  | 5-13                           | 5-13  | 5-13    | 5-13                            | 5-13 | 5-13  | 5-13                 |
| EC                     | 2.0                | 3.0   | 3.0                   | 3.0   | 3.0                   | 3.0   | 3.0   | 3.0                            | 3.0   | 3.0     | 3.0                             | 3.0  | 3.0   | 3.0                  |
| PPM 500                | 1000               | 1500  | 1500                  | 1500  | 1500                  | 1500  | 1500  | 1500                           | 1500  | 1500    | 1500                            | 1500 | 1500  | 1500                 |
| PPM 700                | 1400               | 2100  | 2100                  | 2100  | 2100                  | 2100  | 2100  | 2100                           | 2100  | 2100    | 2100                            | 2100 | 2100  | 2100                 |
| рН                     | 5.6                |   | -6.2<br>oco/<br>wool) | (Peat | -6.4<br>based<br>ums) |   | `   | 5.8-6.2<br>oco/Rockv<br>**When | vool) | (Peat b | 6.0-6.4<br>ased med<br>verify p | ,    |       | 6.0-<br>6.4<br>(AII) |

|             | S            | All measurements<br>are mL per L |       |         |          |         |     |     |     |
|-------------|--------------|----------------------------------|-------|---------|----------|---------|-----|-----|-----|
| APPLICATION |              |                                  |       | VE      | EG       | FLOWER  |     |     |     |
| F           | FREQUENCY    |                                  |       | W 2     | W 3      | W 4     | W1  | W 2 | W 3 |
| IPM         | Preventative | 2x<br>Week                       | 24    | 24      | 24       | 24      | 24  | 24  | 24  |
|             | Pressure     | 3x<br>Week                       | 32    | 32      | 32       | 32      | 32  | 32  | 32  |
| Stack       | Maximize     | 2x<br>Week                       | 2     | 2       | 2        | 2       | 2   | 2   | 2   |
| Stack       |              |                                  | Can b | e mixec | l togeth | er with | IPM |     |     |

**DISCLAIMER** - This is a baseline recommendation. Any adjustments made are at the growers discretion. Adjust the feed chart according to weeks needed to complete a run. Strain dependent.

A01.004

| PRE-SOAK       |  |  |  |  |  |  |  |
|----------------|--|--|--|--|--|--|--|
| Coco           |  |  |  |  |  |  |  |
| · pH 5.5 - 5.8 |  |  |  |  |  |  |  |
| · EC 3.5 - 4.0 |  |  |  |  |  |  |  |
|                |  |  |  |  |  |  |  |
| Rockwool       |  |  |  |  |  |  |  |
| • pH 5.0 - 5.5 |  |  |  |  |  |  |  |
| · EC 2.5 - 3.0 |  |  |  |  |  |  |  |
|                |  |  |  |  |  |  |  |

| FLUSH                       |           |  |  |  |  |
|-----------------------------|-----------|--|--|--|--|
| RO + Cleanse                | 26 mL     |  |  |  |  |
| EC                          | <0.1      |  |  |  |  |
| PPM 500                     | <50       |  |  |  |  |
| PPM 700                     | <70       |  |  |  |  |
| рН                          | 6.0 - 6.4 |  |  |  |  |
| <b>Coco</b><br>Last 3 days  |           |  |  |  |  |
| <b>Rockwool</b><br>Last day |           |  |  |  |  |









Read the entire Directions for Use, Conditions of Warranties, and Limitations of Liability before using this product. If the terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties, and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors such as weather conditions, presence of other materials, or the manner of use or applicable law, Athena Ag, Inc. Makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on the product's label. No agent of Athena Ag, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries, or damages resulting from the use or handling of this product. MINITAINDS of the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries, or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid, or at Athena Ag Inc.'s election, the replacement of product.

Follow us on Instagram!





